ELSEVIER

European Journal of Pharmacology 255 (1994) 259–260

ejp

Author index

Abengochea, A., see Martí-Cabrera, M. (255) 157
Altavilla, D., see Squadrito, F. (255) 51
Andersson, G. and Larsson, K.
Effects of FG 5893, a new compound with 5-HT_{1A} receptor agonistic and 5-HT_2 receptor antagonistic properties, on male rat sexual behavior (255) 131
Arcoraci, V., see Squadrito, F. (255) 51
Artigas, F., see Ferré, S. (255) 203
Avendano, C.E. and Billman, G.E.
Effect of interventions that increase cyclic AMP levels on susceptibility to ventricular fibrillation in unanesthetized dogs (255) 99
Azzi, M., Gully, D., Heaulme, M., Bérod, A., Pélaprat, D., Kitabgi, P., Boigegrain, R., Maffrand, J.-P., LeFur, G. and Rostène, W.
Neurotensin receptor interaction with dopaminergic systems in the guinea-pig brain shown by neurotensin receptor antagonists (255) 167

Bergamaschi, M., see Civelli, M. (255) 17
Berger, S., see Lacour, F. (255) 249
Bérod, A., see Azzi, M. (255) 167
Billman, G.E., see Avendano, C.E. (255) 99
Boigegrain, R., see Azzi, M. (255) 167
Bolkenius, F.N., see Petty, M.A. (255) 215
Bongrani, S., see Civelli, M. (255) 17
Brian, Jr., J.E., see Kennedy, R.H. (255) 149
Brune, K., see Schmidt, N. (255) 245

Calapai, G., see Squadrito, F. (255) 51
Campo, G.M., see Squadrito, F. (255) 51
Caputi, A.P., see Squadrito, F. (255) 51
Carter, C., see Voltz, C. (255) 197
Caruso, P., see Civelli, M. (255) 17
Cheng, C.H.K., Costall, B., Kelly, M.E. and Naylor, R.J.
Actions of 5-hydroxytryptophan to inhibit and disinhibit mouse behaviour in the light/dark test (255) 39
Civelli, M., Caruso, P., Giossi, M., Bergamaschi, M., Razzetti, R., Bongrani, S. and Gasco, A.
CHF 2206, a new potent vasodilating and antiaggregating drug as potential nitric oxide donor (255) 17
Climent, V.J., see Martí-Cabrera, M. (255) 157
Cortijo, J., see Martí-Cabrera, M. (255) 157
Costall, B., see Cheng, C.H.K. (255) 39
Criddle, D.N., Rad-Niknam, M., Dewar, G.H. and Woodward, B.
Vasodilator action of the isopropyl ester of palmitoyl carnitine in the rat coronary circulation and mesenteric vascular bed (255) 223
Cucinotta, D., see Squadrito, F. (255) 51
Curzon, G., see Oluyomi, A.O. (255) 175

Datla, K.P., see Oluyomi, A.O. (255) 175
De Jong, W., see Petty, M.A. (255) 215
Dewar, G.H., see Criddle, D.N. (255) 223
Douglas, S.A., Vickery-Clark, L.M. and Ohlstein, E.H.
Functional evidence that balloon angioplasty results in transient nitric oxide synthase induction (255) 81
Dow, J., see Petty, M.A. (255) 215
Duhault, J., see Lacour, F. (255) 249

Eisenberg, E., LaCross, S. and Strassman, A.M.
The effects of the clinically tested NMDA receptor antagonist memantine on carrageenan-induced thermal hyperalgesia in rats (255) 123
Espinal, J., see Lacour, F. (255) 249

Fage, D., see Voltz, C. (255) 197
Farré, A.J., see Haj-Dahmane, S. (255) 185
Ferré, S., Giménez-Llort, L., Artigas, F. and Martínez, E.
Motor activation in short- and long-term reserpinized mice: role of *N*-methyl-D-aspartate, dopamine D_1 and dopamine D_2 receptors (255) 203
Franklin, P.H., see Zhang, G. (255) 239
Furuhama, K., see Tabuchi, Y. (255) 229

Gasco, A., see Civelli, M. (255) 17
Geisslinger, G., see Schmidt, N. (255) 245
Giménez-Llort, L., see Ferré, S. (255) 203
Giossi, M., see Civelli, M. (255) 17
Gozlan, H., see Haj-Dahmane, S. (255) 185
Grisar, J.M., see Petty, M.A. (255) 215
Gully, D., see Azzi, M. (255) 167
Gyires, K.
The role of endogenous nitric oxide in the gastroprotective action of morphine (255) 33

Haj-Dahmane, S., Jolas, T., Laporte, A.-M., Gozlan, H., Farré, A.J., Hamon, M. and Lanfumey, L.
Interactions of lesopitron (E-4424) with central 5-HT_{1A} receptors: in vitro and in vivo studies in the rat (255) 185
Hamon, M., see Haj-Dahmane, S. (255) 185
Han, C., see Xia, Y. (255) 67
Hasegawa, T., see Nabeshima, T. (255) 57
Hatake, K., see Wakabayashi, I. (255) 111
Heaulme, M., see Azzi, M. (255) 167
Hicks, K.K., see Kennedy, R.H. (255) 149
Hietala, J., see Kuoppamäki, M. (255) 91
Hutson, P.H., see Patel, S. (255) 25

Ichihara, K., see Nabeshima, T. (255) 57

Jakab, I., see Lonovics, J. (255) 117
Jolas, T., see Haj-Dahmane, S. (255) 185
Junien, J.-L., see Lagente, V. (255) 253

Karppanen, H., see Mervaala, E.M.A. (255) 73
Kelly, M.E., see Cheng, C.H.K. (255) 39
Kennedy, R.H., Hicks, K.K., Brian, Jr., J.E. and Seifen, E.
Nitric oxide has no chronotropic effect in right atria isolated from rat heart (255) 149
Kitabgi, P., see Azzi, M. (255) 167

Kuoppamäki, M., Pälvimäki, E.-P., Syvälahti, E. and Hietala, J.
5-HT_{1C} receptor-mediated phosphoinositide hydrolysis in the rat choroid plexus after chronic treatment with clozapine (255) 91

Laakso, J., see Mervaala, E.M.A. (255) 73
Lacour, F., Berger, S., Espinal, J. and Duhault, J.
8-OH-DPAT induces a selective increase in protein intake in ageing overweight animals (255) 249
LaCross, S., see Eisenberg, E. (255) 123
Lagente, V., Moodley, I., Perrin, S., Mottin, G. and Junien, J.-L.
Effects of isozyme-selective phosphodiesterase inhibitors on eosinophil infiltration in the guinea-pig lung (255) 253
Lanfumey, L., see Haj-Dahmane, S. (255) 185
Laporte, A.-M., see Haj-Dahmane, S. (255) 185
Larsson, K., see Andersson, G. (255) 131
LeFur, G., see Azzi, M. (255) 167
Llopis, P., see Martí-Cabrera, M. (255) 157
Lonovics, J., Jakab, I., Szilvássy, J. and Szilvássy, Z.
Regional differences in nitric oxide-mediated relaxation of the rabbit sphincter of Oddi (255) 117
Löscher, W. and Richter, A.
The novel selective and silent 5-HT_{1A} receptor antagonist (+)-WAY-100135 aggravates dystonic movements in a mutant hamster model (255) 235
Lukovic, L., see Petty, M.A. (255) 215

Maffrand, J.-P., see Azzi, M. (255) 167
Maggi, C.A., see Zagorodnyuk, V. (255) 9
Martí-Cabrera, M., Llopis, P., Abengochea, A., Ortiz, J.L., Climent, V.J., Cortijo, J. and Morcillo, E.J.
Effects of Ca^{2+} channel antagonists and benzodiazepine receptor ligands in normal and skinned rat urinary bladder (255) 157
Martínez, E., see Ferré, S. (255) 203
Mervaala, E.M.A., Laakso, J. and Karppanen, H.
Cardiovascular effects of felodipine are not antagonized by dietary salt (255) 73
Moodley, I., see Lagente, V. (255) 253
Morcillo, E.J., see Martí-Cabrera, M. (255) 157
Mottin, G., see Lagente, V. (255) 253
Murray, T.F., see Zhang, G. (255) 239

Nabeshima, T., Nakayama, S., Ichihara, K., Yamada, K., Shiotani, T. and Hasegawa, T.
Effects of nefiracetam on drug-induced impairment of latent learning in mice in a water finding task (255) 57
Nakayama, S., see Nabeshima, T. (255) 57
Naylor, R.J., see Cheng, C.H.K. (255) 39

Obara, K. and Yabu, H.
Effect of cytochalasin B on intestinal smooth muscle cells (255) 139
Ohlstein, E.H., see Douglas, S.A. (255) 81
Okamoto, K., see Sakuta, H. (255) 1
Oluyomi, A.O., Datla, K.P. and Curzon, G.
Effects of *d*-fenfluramine on feeding and hypothalamic 5-hydroxytryptamine and dopamine in male and female rats (255) 175
Ortiz, J.L., see Martí-Cabrera, M. (255) 157

Pälvimäki, E.-P., see Kuoppamäki, M. (255) 91
Patel, S. and Hutson, P.H.
Hypothermia induced by cholinomimetic drugs is blocked by galanin: possible involvement of ATP-sensitive K^+ channels (255) 25
Pélaprat, D., see Azzi, M. (255) 167
Perrin, S., see Lagente, V. (255) 253
Petty, M.A., Lukovic, L., Grisar, J.M., Dow, J., Bolkenius, F.N. and De Jong, W.
Myocardial protection by a cardioselective free radical scavenger (255) 215

Rad-Niknam, M., see Criddle, D.N. (255) 223
Razzetti, R., see Civelli, M. (255) 17
Richter, A., see Löscher, W. (255) 235
Rostène, W., see Azzi, M. (255) 167

Sakamoto, K., see Wakabayashi, I. (255) 111
Sakuta, H. and Okamoto, K.
Effects of Ca^{2+} channel antagonists and their isomers on glibenclamide-sensitive K^+ currents in follicle-enclosed *Xenopus* oocytes (255) 1
Santicioli, P., see Zagorodnyuk, V. (255) 9
Schmidt, N., Brune, K. and Geisslinger, G.
Opioid receptor agonist potencies of morphine and morphine-6-glucuronide in the guinea-pig ileum (255) 245
Seifen, E., see Kennedy, R.H. (255) 149
Shiotani, T., see Nabeshima, T. (255) 57
Squadrito, F., Calapai, G., Altavilla, D., Cucinotta, D., Zingarelli, B., Arcoraci, V., Campo, G.M. and Caputi, A.P.
Central serotoninergic system involvement in the anorexia induced by N^G-nitro-L-arginine, an inhibitor of nitric oxide synthase (255) 51
Strassman, A.M., see Eisenberg, E. (255) 123
Syvälahti, E., see Kuoppamäki, M. (255) 91
Szilvássy, J., see Lonovics, J. (255) 117
Szilvássy, Z., see Lonovics, J. (255) 117

Tabuchi, Y. and Furuhama, K.
Inhibitory effect of DS-4574, a mast cell stabilizer with peptidoleukotriene receptor antagonism, on gastric acid secretion in rats (255) 229
Tanaka, H., see Wakabayashi, I. (255) 111

Vickery-Clark, L.M., see Douglas, S.A. (255) 81
Voltz, C., Fage, D. and Carter, C.
Synergism between the NMDA receptor antagonistic effects of ifenprodil and the glycine antagonist, 7-chlorokynurenate, in vivo (255) 197

Wakabayashi, I., Sakamoto, K., Hatake, K. and Tanaka, H.
Aclarubicin inhibits phosphatidylinositol hydrolysis and contraction of rat aorta (255) 111
Woodward, B., see Criddle, D.N. (255) 223

Xia, Y. and Han, C.
Role of K^+ channels in neuropeptide Y-induced vasoconstriction in rabbit cerebral basilar artery (255) 67

Yabu, H., see Obara, K. (255) 139
Yamada, K., see Nabeshima, T. (255) 57

Zagorodnyuk, V., Santicioli, P. and Maggi, C.A.
Different Ca^{2+} influx pathways mediate tachykinin receptor-induced contraction in circular muscle of guinea-pig colon (255) 9
Zhang, G., Franklin, P.H. and Murray, T.F.
Activation of adenosine A_1 receptors underlies anticonvulsant effect of CGS21680 (255) 239
Zingarelli, B., see Squadrito, F. (255) 51